



SEAGOING FLOATING SHEERLEGS

# WEES LIFT 1

<b>CLASS</b>	BV PONTOON CRANE UNRESTRICTED NAVIGATION
<b>LIFT. CAP. MAIN</b>	400 T (2 x 200 T SWL)
<b>LIFT. CAP. JIB</b>	250 T (2 x 125 T SWL)
<b>IMO</b>	8757099
<b>HOME PORT</b>	DORDRECHT - NL

**TECHNICAL SPECIFICATIONS**

# WEES LIFT 1

## Capacities\*

Max. load main hooks with fly jib	400 T (2 × 200 T)
Max. load main hooks without fly jib	400 T (2 × 200 T)
Max. load jib hooks	250 T (2 × 125 T)
Max. lifting height main hooks	29,7 m (from deck)
Max. lifting height jib hooks	49,2 m (from deck)
Main hooks Max load at max reach	100 tons @ 22,7 m
Jib hooks Max load at max reach	56 tons @ 40,0 m

## Dimensions\*

Length o.a.	46,64 m
Beam o.a.	20,00 m
GRT	904
NRT	271
Depth	3,61 m
Draft min - max	1,60 - 3,00 m
Creep line aircraft	Minimum 8,65 m (with pontoon)
Normal aircraft	Minimum 16,00 m

## Machinery & Equipment\*



Auxiliary engines	2x Baudouin 6W105S
Bow thruster	1x Schottel SRP 75 @ 136 BHP
4 Point mooring system	1x Bow winch, double drums 2x Stern winches, single drums

\*These specifications are given without guarantee and may be subject to change without notice.

# CONTACT DETAILS

Wees Lifting B.V.  
+31 (0)78 - 648 26 65  
lifting@vanderwees.nl

Visiting Address  
's-Gravendeelsedijk 100  
3316 AZ Dordrecht, NL  
info@vanderwees.nl | www.vanderwees.nl



\* These specifications are given without guarantee and may be subject to change without notice.

